

Product Specifications For CB1.7



Weights

Operating Weight	3538 lb
------------------	---------

Operating Specifications

Standard Compaction Width	35 in
Curb Clearance	16 in
Ground Clearance	10 in
Travel Speed - Maximum	5.3 mile/h
Static Linear Load	72 lb/in

Engine

Engine Power (1)	24.7 hp
Engine Model	Cat C1.1

Dimensions

Overall Length	80 in
Overall Width	40 in
Maximum Machine Height	94.5 in
Drum Width	35 in
Drum Diameter	22.5 in

Vibratory System

Frequency	3420 V/m
Nominal Amplitude - High	0.019 in
Centrifugal Force per Drum - Maximum	3057 lb

Service Refill Capacities

Fuel Tank Capacity	7.9 gal (US)
Water Spray Tank Capacity	38 gal (US)

CB1.7 Standard Equipment

Operator Environment

- ROPS Folding
- Operator Console w/ Emergency Stop, Simple Rocker Switches, and Machine Warning Indicator Lights
- Dual 12-volt Power Outlet
- Horn, Backup Alarm

Compaction System

- Folding Scrapers
- Vibe Selection - Front, Rear, or Both
- Pressurized, Triple-Filtration Spray System

Powertrain

- Air Cleaner, Dual Element
- Engine Belt Guard

Technology

- ProductLink™

Electrical

- Working Lights

Other

- Vandal Protection - Lockable Hood and Controls Cover
- Machine Life and Tiedowns

CB1.7 Optional Equipment

Operator Environment

Adjustable Suspension Seat w/ Operator Presence Switch
ROPS Fixed

Electrical

Battery Disconnect
Roading Lights
Rotating Amber Beacon
Light Guards

Other

Single Point Lift