

# T 25A



www.arcomet.com



WIJZIGINGEN VOORBEHOUDEN - SOUS RÉSERVE DE MODIFICATIONS - SUBJECT TO MODIFICATION - AENDERUNGEN VORBEHALTEN - SOTTO RISERVA DI MODIFICHE - MODIFICACIONES RESERVADAS



## LASTENTABEL - COURBES DE CHARGES - LOAD CURVES - LASTKURVEN - CURVE DI CARICO - CURVAS DE CARGAS

|     |       |       |        |       |       |       |       |       |
|-----|-------|-------|--------|-------|-------|-------|-------|-------|
| m   | 11,82 | 12    | 14     | 16    | 18    | 20    | 22    | 25    |
| kg  | 2500  | 2450  | 2030   | 1725  | 1495  | 1315  | 1170  | 1000  |
| ft  | 38'9" | 39'4" | 45'11" | 52'6" | 59'1" | 65'7" | 72'2" | 82'0" |
| lbs | 5510  | 5400  | 4480   | 3800  | 3300  | 2900  | 2580  | 2210  |

|     |        |        |       |       |       |       |       |
|-----|--------|--------|-------|-------|-------|-------|-------|
| m   | 12,17  | 14     | 16    | 18    | 20    | 22    | 23,2  |
| kg  | 2500   | 2106   | 1790  | 1552  | 1366  | 1216  | 1140  |
| ft  | 39'11" | 45'11" | 52'6" | 59'1" | 65'7" | 72'2" | 76'1" |
| lbs | 5510   | 4640   | 3950  | 3420  | 3010  | 2680  | 2510  |

|     |        |        |       |       |       |       |
|-----|--------|--------|-------|-------|-------|-------|
| m   | 12,48  | 14     | 16    | 18    | 20    | 21,4  |
| kg  | 2500   | 2175   | 1848  | 1603  | 1411  | 1300  |
| ft  | 40'11" | 45'11" | 52'6" | 59'1" | 65'7" | 70'3" |
| lbs | 5510   | 4800   | 4070  | 3530  | 3110  | 2870  |

|     |        |        |       |       |        |
|-----|--------|--------|-------|-------|--------|
| m   | 12,48  | 14     | 16    | 18    | 19,5   |
| kg  | 2500   | 2236   | 1940  | 1652  | 1500   |
| ft  | 40'11" | 45'11" | 52'6" | 59'1" | 63'12" |
| lbs | 5510   | 4930   | 4280  | 3640  | 3310   |

|     |       |        |       |       |
|-----|-------|--------|-------|-------|
| m   | 13,11 | 14     | 16    | 17,7  |
| kg  | 2500  | 2308   | 1965  | 1740  |
| ft  | 43'0" | 45'11" | 52'6" | 58'1" |
| lbs | 5510  | 5090   | 4330  | 3840  |

|     |       |       |
|-----|-------|-------|
| m   | 13,58 | 15,1  |
| kg  | 2500  | 2200  |
| ft  | 44'7" | 49'6" |
| lbs | 5510  | 4850  |

## HOEKDRUKKEN - RÉACTIONS - REACTIONS - ECKDRÜCKE - REAZIONI - REACCIONES

F1

|  |      |     |
|--|------|-----|
|  | kN   | 147 |
|  | kips | 33  |

F1

|  |      |     |
|--|------|-----|
|  | kN   | 116 |
|  | kips | 26  |

|  |     |        |
|--|-----|--------|
|  | kg  | 10 400 |
|  | lbs | 22 930 |

## AANDRIJVINGEN - MÉCHANISMES - MECHANISMS - ANTRIEBE - MECCANISMI - MECANISMOS



max. 2500 kg

|       |       |       |       |
|-------|-------|-------|-------|
|       |       |       |       |
| m/min | 5,0   | 22,5  | 45,0  |
| kg    | 2500  | 2500  | 1250  |
| fpm   | 16    | 74    | 148   |
| lbs   | 5510  | 5510  | 2760  |
| kW    | 9,0   | 9,0   | 9,0   |
| HP    | ~12,1 | ~12,1 | ~12,1 |

|  |       |           |         |
|--|-------|-----------|---------|
|  | m/min | 20 / 40   | 2,2 kW  |
|  | fpm   | ~66 / 131 | ~2,9 HP |


|  |        |       |         |
|--|--------|-------|---------|
|  | tr/min | 0 - 1 | 2,2 kW  |
|  |        |       | ~2,9 HP |

|  |       |     |             |
|--|-------|-----|-------------|
|  | m/min | 25  | 2 x 1 kW    |
|  | fpm   | ~82 | ~2 x 1,3 HP |


|  |     |    |
|--|-----|----|
|  | kVA | 19 |
|--|-----|----|

|  |                     |
|--|---------------------|
|  | 220 - 380 V / 50 Hz |
|--|---------------------|

MONTAGE - MONTAGE - ERECTION - MONTAGE - MONTAGGIO - MONTAJE



TRANSPORT





**ARCOMET**

Industrieweg 139 - 3583 Paal-Beringen - BELGIUM - T +32 (0)11 450 950 - EMAIL [arcomet@arcomet.com](mailto:arcomet@arcomet.com) - [www.arcomet.com](http://www.arcomet.com)